

TYPE	Output kW	Amps A	Speed r/min	EFF. %	P.F. Cos	Tn/Tm	In/Im	Tst/Tn	Noise LwdB(A)	Weight Kg
IEC 280S-4	75	138.3	1380	93.8	0.88	2.2	7.2	2.3	86	508
IEC 280M-4	90	165	1380	94.2	0.88	2.2	7.2	2.3	86	581
IEC 315S-4	110	201	1480	94.5	0.88	2.1	6.9	2.2	93	846
IEC 315M 4	132	240	1480	94.8	0.88	2.1	6.9	2.2	93	940
IEC 315L1 4	160	288	1480	94.9	0.89	2.1	6.9	2.2	97	1044
IEC 315L2-4	200	360	1480	95.0	0.89	2.1	6.9	2.2	97	1162
IEC 355M-4	250	443	1490	95.3	0.90	2.1	6.9	2.2	101	1700
IEC 355L-4	315	559	1490	95.6	0.90	2.1	6.9	2.2	101	1900
IEC 71M1 6	0.18	0.74	850	56.0	0.66	1.9	4.0	2.0	52	6
IEC 71M2-6	0.25	0.95	850	59.0	0.68	1.9	4.0	2.0	52	6.3
IEC 80M1-6	0.37	1.3	880	62.0	0.70	1.9	4.7	2.0	54	15
IEC 80M2-6	0.55	1.8	880	65.0	0.72	1.9	4.7	2.1	54	16
IEC 90S-6	0.75	2.29	905	69.0	0.72	2.0	5.3	2.1	57	20
IEC 90L 6	1.1	3.18	905	72.0	0.73	2.0	5.5	2.1	57	23
IEC 100L-6	1.5	4	920	76.0	0.75	2.0	5.5	2.1	61	29
IEC 112M-6	2.2	5.6	935	79.0	0.76	2.0	6.5	2.1	65	41
IEC 132S-6	3	7.4	960	81.0	0.76	2.1	6.5	2.1	69	59
IEC 132M1-6	4	9.75	960	82.0	0.76	2.1	6.5	2.1	69	66
IEC 132M2-6	5.5	12.9	960	84.0	0.77	2.1	6.5	2.1	69	76.5
IEC 160M-6	7.5	17.2	970	86.0	0.77	2.0	6.5	2.1	73	106
IEC 160L-6	11	24.5	970	87.5	0.78	2.0	6.5	2.1	73	122
IEC 180L-6	15	31.6	980	89.0	0.81	2.0	7.0	2.1	73	167
IEC 200L1-6	18.5	38.6	980	90.0	0.81	2.1	7.0	2.1	76	236
IEC 200L2-6	22	44.7	980	90.0	0.83	2.0	7.0	2.1	76	247
IEC 225M 6	30	59.3	980	91.5	0.84	2.0	7.0	2.1	76	287
IEC 250M-6	37	71	980	92.0	0.86	2.1	7.0	2.1	78	355
IEC 280S-6	45	86	980	92.5	0.86	2.1	7.0	2.0	80	444
IEC 280M-6	55	104	980	92.8	0.86	2.1	7.0	2.0	80	498
IEC 315S-6	75	142	980	93.5	0.86	2.0	7.0	2.0	85	859
IEC 315M 6	90	169	985	93.8	0.86	2.0	7.0	2.0	85	950
IEC 315L1-6	110	207	985	94.0	0.86	2.0	6.7	2.0	85	1031
IEC 315L2-6	132	245	985	94.2	0.87	2.0	6.7	2.0	85	1107
IEC 355M1-6	160	292	990	94.5	0.88	1.9	6.7	2.0	92	1550
IEC 355M2-6	200	365	990	94.7	0.88	1.9	6.7	2.0	92	1600
IEC 355L-6	250	457	990	94.9	0.88	1.9	6.7	2.0	92	1700
IEC 80M1 8	0.18	0.83	645	51.0	0.61	1.8	3.3	1.9	52	15
IEC 80M2-8	0.25	1.1	645	54.0	0.61	1.8	3.3	1.9	52	16
IEC 90S-8	0.37	1.49	675	62.0	0.61	1.8	4.0	1.9	56	20